



Estimated Number of Adults and Adolescents Living with HIV/AIDS, by Sex, 2001–2004—35 Areas




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays. Age as of end of year.

Estimated Number of Persons Living with HIV/AIDS, by Race/Ethnicity, 2001–2004—35 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.


Estimated Number of Asians/Pacific Islanders and of American Indians/Alaska Natives Living with HIV/AIDS 2001–2004—35 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.




Proportion of HIV/AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2004—35 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.


* Heterosexual contact with a person known to have or at high risk for HIV infection.

Proportion of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2001–2004—35 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.

Proportion of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2001–2004—35 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.



Estimated Number and Proportion of HIV/AIDS Cases among Adults and Adolescents, by Transmission Category 2004—35 Areas

<u>Transmission category</u>	<u>No.</u>	<u>%</u>
Male-to-male sexual contact	18,203	47
Injection drug use (IDU)	5,962	15
Male-to-male sexual contact and IDU	1,372	4
High risk heterosexual contact*	12,683	33
<u>Other/not identified*</u>	<u>335</u>	1
Total	38,553	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified

* Heterosexual contact with a person known to have or at high risk for HIV infection.



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 2004—35 Areas

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	7,808	43
Black, not Hispanic	6,479	36
Hispanic	3,568	20
Asian/Pacific Islander	206	1
American Indian/ Alaska Native	94	1
<u>Total*</u>	<u>18,203</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis.
Data from 35 areas with confidential name-based HIV infection reporting since at least 2000.
Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 48 persons of unknown race or multiple races.



Estimated Number and Proportion of HIV/AIDS Cases among Adults and Adolescents Attributed to High Risk Heterosexual Contact*, by Race/Ethnicity, 2004—35 Areas

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	1,862	15
Black, not Hispanic	8,599	68
Hispanic	1,970	16
Asian/Pacific Islander	123	<1
American Indian/ Alaska Native	69	<1
Total**	12,683	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.

Data from 35 areas with confidential name-based HIV infection reporting since at least 2000.

Data have been adjusted for reporting delays and cases without risk factors information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

** Total includes 60 persons of unknown race or multiple races.



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Male-to-Male Sexual Contact and Injection Drug Use, by Race/Ethnicity, 2004—35 Areas

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	636	46
Black, not Hispanic	498	36
Hispanic	207	15
Asian/Pacific Islander	11	1
American Indian/ Alaska Native	12	1
<u>Total*</u>	<u>1,372</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.

Data from 35 areas with confidential name-based HIV infection reporting since at least 2000.

Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 8 persons of unknown race or multiple races.



Estimated Number and Proportion of HIV/AIDS Cases Attributed to Injection Drug Use, by Race/Ethnicity 2004—35 Areas

<u>Race/Ethnicity</u>	<u>Cases</u>	<u>%</u>
White, not Hispanic	1,407	24
Black, not Hispanic	3,311	56
Hispanic	1,136	19
Asian/Pacific Islander	50	<1
American Indian/ Alaska Native	31	<1
<u>Total*</u>	<u>5,962</u>	

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.

Data from 35 areas with confidential name-based HIV infection reporting since at least 2000.

Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Total includes 27 persons of unknown race or multiple races.



Estimated Number of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2004—33 States

<u>Race/Ethnicity</u>	<u>Cases*</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	10,010	18.7
Black, not Hispanic	12,048	131.6
Hispanic	5,517	60.2
Asian/Pacific Islander	299	13.9
American Indian/ Alaska Native	148	20.8
Total**	28,117	37.6

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.
Data from 33 states with confidential name-based HIV infection reporting since at least 2000.
Data have been adjusted for reporting delays.

* Data exclude persons from U.S. dependencies, possessions and associated nations because of lack of census data by race for these areas.

** Includes 95 male adults and adolescents of unknown race or multiple races.



Estimated Number of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2004—33 States

<u>Race/Ethnicity</u>	<u>Cases*</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	1,782	3.2
Black, not Hispanic	7,009	67.0
Hispanic	1,400	16.3
Asian/Pacific Islander	94	4.1
American Indian/ Alaska Native	57	7.7
Total**	10,391	13.2


Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.
Data from 33 states with confidential name-based HIV infection reporting since at least 2000.
Data have been adjusted for reporting delays.

* Data exclude persons from U.S. dependencies, possessions and associated nations because of the lack of data by race for these areas.

** Includes 49 female adults and adolescents of unknown race or multiple races.




Estimated Prevalence Rates for Adults and Adolescents Living with HIV Infection (not AIDS), 2004—35 Areas




Note. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.

Estimated Prevalence Rates for Children <13 Years of Age Living with HIV Infection (not AIDS), 2004—35 Areas



Note. Data from 35 areas with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.


Year of Initiation of Confidential HIV Case Surveillance* as of January 2005



* As of January 2005 there were 43 areas with confidential name-based HIV infection reporting.
 ** Pennsylvania implemented reporting only in areas outside the city of Philadelphia.

Reported Cases of HIV Infection (not AIDS), 2004—42 Areas

N = 33,563*




Note. Data from 42 areas with confidential name-based HIV infection reporting as of December 2004.

* Includes 421 persons who were residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance. Includes 460 persons whose area of residence is unknown.

** Pennsylvania implemented reporting only in areas outside the city of Philadelphia.

Adolescents 13–19 Years of Age Reported to be Living with HIV Infection (not AIDS), 2004—42 Areas N=2,860*



Note. Data from 42 areas with confidential name-based HIV infection reporting as of December 2004.
 * Includes 48 residents of areas without HIV infection surveillance but who were reported from area with HIV infection surveillance. Includes 15 persons whose state of residence is unknown or missing
 ** Pennsylvania implemented reporting only in areas outside the city of Philadelphia.




Reported Cases of HIV Infection (not AIDS), by Age Group at Diagnosis, Cumulative through 2004—42 Areas

<u>HIV Infection (not AIDS)</u>		
<u>Age (years)</u>	<u>No.</u>	<u>%</u>
<13	4,814	2
13–14	393	<1
15–24	35,630	16
25–34	81,231	35
35–44	70,437	31
45–54	27,591	12
55–64	7,170	3
≥65	2,145	<1
<u>Total</u>	<u>229,411</u>	

Note. Data from 42 areas with confidential name-based HIV infection reporting as of December 2004.

Reported Cases of HIV Infection (not AIDS) in Children <13 Years of Age at Diagnosis, 2004—42 Areas N=431*




Note. Data from 42 areas with confidential name-based HIV infection reporting as of December 2004.

* Includes 22 persons who were residents of areas without HIV infection surveillance but who were reported by areas with HIV infection surveillance. Includes 27 persons whose area of residence is unknown or missing.


** Pennsylvania implemented reporting only in areas outside the city of Philadelphia.

Reported Cases of HIV Infection (not AIDS) by Age Group and Sex, Cumulative through 2004—42 Areas



Note. Data from 42 areas with confidential name-based HIV infection reporting as of December 2004.
* Excludes 7 persons of unknown sex.

Estimated Diagnosis Rates of HIV/AIDS for Adults and Adolescents, 2004—33 Areas



Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.